hotels 2016/2017









Our goal here at BACHMANN is to be a trendsetter and to bring innovations to life. We want to improve quality of life with our solutions – people should feel at ease with our technology.

Peter Bachmann | CEO

welcome






















feel-good oasis



















a flowing current












.....







bon appétit











.....







shaping the future





















contents

TWIST	PAGE 18
PIX	PAGE 20
ELEVATOR	PAGE 22
DUE	PAGE 24
POWER FRAME COVER	PAGE 26
POWER FRAME	PAGE 28
KAPSA	PAGE 30
CONI DUO	PAGE 32

.....

CONI	PAGE 34
DESK 2	PAGE 36
DESK 1	PAGE 38
HD BASE T	PAGE 40
CUSTOM MODULES	PAGE 42
WIRELESS CHARGER	PAGE 44
POWER SUPPLY CABLES	PAGE 45
SERVICE & PICTOGRAMS	PAGE 46



TWIST

TWIST is the ideal power strip for kitchens and offices. With its compact form and low installation depth, it can be easily integrated into worktops. Because the power cable is routed close to the housing, the installation depth is only around 40 mm, meaning that the unit can be easily installed above a drawer.

Various surface versions allow TWIST to fit effortlessly into both classic and modern shape and colour concepts. An ingenious fastening mechanism: after use, simply rotate the cover and the socket outlets disappear underneath it.

BENEFITS

- Just 40 mm installation depth
- Quick and easy to install
- Suitable for retrofitting
- KEMA-KEUR approved

AWARDS





Dimensions (H x Ø) 42.5 x 115 mm

Installation depth 40mm

Cover disc material: Metal Socket material: Plastic

Socket colour Black



#	\odot	\odot	<>	K
Matt chrom	e Power input: 0.2m cable	e and GST18 plug		
931.001	1			2
931.003		1		2
931.009			1 (T13)	2
Black Powe	er input: 0.2 m cable and G	ST18 plug		
931.101	1			2
931.103		1		2
White Powe	er input: 0.2 m cable and G	ST18 plug		
931.201	1			2
931.203		1		2





Watch the TWIST installation video at bachmann.com







With **an installation depth of just 40 mm,** the TWIST is so compact that it is even possible to install it above a drawer.

#	\odot	\odot	$\langle \cdot \cdot \rangle$
Stainless steel lo	ook Power input: 2.0m cable	with end sleeves and mounting plug,	included
931.000	2		
931.002		2	
931.008			2 (T23)
Black Power inp	ut: 2.0m cable with end sleeve	es and mounting plug, included	
931.100	2		
931.102		2	
White Power inp	ut: 2.0m cable with end sleeve	es and mounting plug, included	
931.200	2		
931.202		2	





X

Hole saw For installing the TWIST					
	931.900	In wood/plastic Cutting depth up to 44 mm Diameter 105 mm			
	918.900	Mounting tool for hole saw with centre drill			

PIX

The stylish PIX range is a collection of sophisticated, round socket outlet and connector units that can be used in many different ways. On a desk in the office, in the kitchen, in the bathroom, as a lounge element, in the wall or other living room scenarios.

Used alone or in combination, the decorative rings are available in various colours and can be interchanged. With its round, flat shape and minimalist appearance, the PIX meets design requirements exactly where you need it.

BENEFITS

:

- Can be integrated on its own or in combination
- Interchangeable, coloured decorative rings
- With swivel-mounted cover as an option
- Simple mounting from above, retrofitting possible too
- Just 45 mm installation depth



Dimensions (H x Ø) 50 x 68 mm


Installation depth 45 mm

Material Plastic

Socket colour Black



#	\odot	\odot	< <u>.</u>	
	strip incl. 2 decorative rin : 0.2 m cable and GST18 plu			
926.000	1			
926.002		1		
926.004			1 (T13)	
926.006				1 (3.15 A)
		igs (black, white and stair es and mounting plug, inclue		
926.001	1			
926.003		1		
926.005			1 (T13)	
926.007				1 (13A)








PIX decorative rings available in **eight colour** variants.





\gg


Ś

PIX classic decorative ring set | Colourful decorative ring set for interchanging on already present PIX power strips

926.200	1 x melon yellow (RAL1028) 1 x traffic red (RAL3020) 1 x yellow green (RAL6018) 1 x sky blue (RAL5015)
	1 x heather violet (RAL4003)

PIX cover set | Swivelling cover with colour-coordinated decorative ring incl. covers for all countries and connection versions

926.101	Cover set in black, similar to RAL9005
926.102	Cover set in white, similar to RAL9010





ELEVATOR

ELEVATOR fits perfectly in any working environment. At 79 mm in diameter, ELEVATOR is ideal for integrating power and data connections in tiny spaces. Simply press down with your finger to raise and lower ELEVATOR.

Installation is incredibly simple. ELEVATOR is placed in a cut-out 79 mm in diameter and secured to the desktop or tabletop from below using a lock ring.

BENEFITS

÷

- Press down with your finger to raise
- Quick and easy to install
- Suitable for retrofitting
- Suitable for standard 79 mm hole



Dimensions (H x Ø) 100 x 79 mm

Profile material: Aluminium Socket material: Plastic

Socket colour Black

Colour variants

#	\odot	\odot			\bigcirc	Ì	K
att chrom	ne Power input	t: 0.5m cable ar	nd GST18 plug,	3.0m data cab	les incl. plug/soo	cket	

928.004	1				90°		2x CAT6
928.005	1				90°		1 x CAT6 1 x USB 3.0 A
928.006	1				90°		1 x CAT6 1 x HDMI
928.008		1			90°		2x CAT6
928.009		1			90°		1 x CAT6 1 x USB 3.0 A
928.010		1			90°		1 x CAT6 1 x HDMI
928.035			1 (T13)		90°		2x CAT6
928.039				1 (5 A)	90°		1 x CAT6 1 x USB 3.0A
928.026				1 (5 A)	90°	•	

Ma





.....





\bigcirc

Simply press down with your finger to raise and lower ELEVATOR.

#	\odot	\odot	\odot		\bigcirc	Ċ	Ì
Stainless s	teel look Powe	er input: 2.0 m c	able with end s	leeves and mou	nting plug, inclue	ded	
928.002	2					90°	
928.003	1				2	90°/0°	
928.007		2				90°	
928.024			2 (T23)			90°	
928.017	1					90°	•
928.020		1				90°	•
928.046				1 (13 A)		90°	•





X

Hole saw	For installing the ELEVATOR
928.900	In wood/plastic Cutting depth up to 44 mm Diameter 79 mm
918.900	Mounting tool for hole saw with centre drill





DUE is the ideal power strip for the kitchen. It guarantees an elegant power supply and can be used just as effectively in the office and in other areas.

With its interchangeable covers, it can be colour-coordinated to its surroundings or create accents as desired, even after installation.

The split cover allows DUE to be slid open as required, with a design that looks equally elegant when in use.

BENEFITS

:

- Interchangeable covers available
- Space-saving even when open
- Supplied with installation template
- Just 45 mm installation depth
- Integrated water run-off



Dimensions when open (W x H x D) 141 x 72 x 49 mm

Material Plastic

Socket colour Black

Colour variants

#	\bigcirc	\odot		\bigcirc
DUE power	strip Power input: 0.2 m	cable and GST18 plug		
929.010	2			90°
929.012		2		90°
DUE power	strip Power input: 2.0m	cable with end sleeves and r	mounting plug, included	
929.000	2			90°
929.002		2		90°
929.004			2 (13 A)	
\gg				

DUE cover	
929.100	Stainless steel look
929.101	Painted black, similar to RAL9005
929.102	Painted white, similar to RAL9010









.....

Space-saving even when open.





POWER FRAME COVER

POWER FRAME COVER is the elegant and compact power and data supply solution.

The POWER FRAME COVER has an attractive aluminium cover, designed especially for stylish room concepts, which also protects power and data connections from dust and dirt as a matter of course.

When the cover is fully open, both sides of the table or desk offer unimpeded access.

BENEFITS

- High-quality design piece for work and living spaces
- Accessible from every seat
- Protection against dirt and dust
- Versatile: can be combined with socket outlets and data, audio and video modules

AWARDS






26

Material Aluminium











\otimes

POWER F	RAME COVER – Small Width: 255 mm Aluminium flap with fixed, integrated mounting frame, black (article no. 915.000) for sticking into the table	
915.500	Anodised aluminium, E8/EV1	
915.503	Painted white, similar to RAL9010	
915.501	Painted stainless steel	
915.022	Anodised black E1/C35 and brushed	P
POWER F	RAME COVER – Medium Width: 300mm Aluminium flap with fixed, integrated mounting frame, black (article no. 915.004) for sticking into the table	
915.502	Anodised aluminium, E8/EV1	(
POWER F	RAME COVER – Large Width: 383mm Aluminium flap with fixed, integrated mounting frame, black (article no. 915.006) for sticking into the table	
915.504	Anodised aluminium, E8/EV1	

915.022



i

Only power strips with evenly flush custom modules can be used in conjunction with the POWER FRAME COVER.

The matching power strips can be found on p. 28.



POWER FRAME

POWER FRAME is the compact solution for integrated and easily accessible power and data connections for workstations. It can be either factory-installed or supplied for retrofitting.

The power strip clicks into the mounting frame and can be interchanged or fitted with custom modules as required.

BENEFITS

- Compact dimensions
- Suitable for retrofitting
- Timeless design
- Versatile in application
- Rapid installation of complete power strips

Dimensions (W x H x D) See table x 73 x 36 mm

Mounting frame material: Sheet steel Socket material: Plastic, aluminium

Socket colour Black

Colour variants

#	\odot	\odot	$\overline{\cdot \cdot}$	 _	C	Ð	C
POWER FR	AME Power st	rip – Small Pc	ower input: 0.2 m	n cable and GST	18 plug		
916.0040	2				35°	•	
916.103		2			35°	•	
916.218			2 (T13)		0°	٠	
916.100				2 (3.15 A)	90°	•	
POWER FR	AME Power st	rip – Medium	Power input: 0.	2 m cable and G	ST18 plug		
916.0514	2				35°	•	1
916.0411		2			35°	•	1
916.0511			2 (T13)		0°	•	1
916.0519				2 (3.15 A)	90°	•	1

POWER FRAME Power strip - Large | Power input: 0.2 m cable and GST18 plug

916.0703	1	1	1 (3.15 A)	35°/35°/90°	•	1







Power strip is clicked into place in the mounting frame from underneath without tools.



\otimes

915.003

POWER FRAME Mounting frame – Small Width: 241 mm						
317.000	Silver-grey, similar to RAL9006					
317.001	Stainless steel					
915.000	Black, similar to RAL9005					
915.001	White, similar to RAL9010					
POWER FR	AME Mounting frame – Medium Width: 284 mm					
317.006	Silver-grey, similar to RAL9006					
915.004	Black, similar to RAL9005					
915.005	White, similar to RAL9010					
POWER FR	AME Mounting frame – Large Width: 369 mm					
317.007	Silver-grey, similar to RAL9006					
915.006	Black, similar to RAL9005					

White, similar to RAL9010





KAPSA

KAPSA's classic, reduced lines make it a power strip that is both design-orientated and space-saving – designed for the kitchen, office and many other areas.

The cover – which can be flipped open and interchanged – provides protection against external influences and is available in several versions. Three-way, modular equipment options, thereby allowing flexible configuration. Installation from above guarantees simple mounting – also optionally available as a retrofitted solution. A low installation depth of approx. 45 mm and a solid design characterise KAPSA and confirm the well-worn saying: less is more.

BENEFITS

- Easily interchangeable cover available in various versions
- Simple installation from above
- Three-way, modular equipment options
- Just 45 mm installation depth
- Aluminium cover with high-quality feel



Dimensions (W x H x D) 204 x 71 x 51 mm

Cover material: Aluminium Socket material: Plastic, aluminium

Socket colour Black



#	\odot	\odot	 ••• 		C	Ì	С		
KAPSA power strips – Medium Power input: 0.2 m cable and GST18 plug									
927.051	2				35°	•			
927.054		2			35°	٠			
927.059			3 (T13)		0°	•			
927.057				1 (3.15 A)	90°	•	1		
927.052	2				35°		1		
927.055		2			35°		1		
927.061			2 (T13)				1		
927.058				2 (3.15 A)	90°		1		








.....

#	\odot	\odot		_	\bigcirc	Ð	С
KAPSA pov Power input	ver strips – Me : 2.0 m cable wit	dium th end sleeves a	nd mounting plu	ŋ			
927.000	3				35°		
927.003		3			35°		
927.006				3 (13 A)	90°		
927.009			3 (T13)		0°		
927.001	2				35°	٠	
927.004		2			35°	•	
927.010			2 (T13)			٠	
927.002	2				35°		1
927.005		2			35°		1
927.008				2 (13 A)	90°		1
927.011			2 (T13)				1











Only power strips with evenly flush custom modules can be used in conjunction with the KAPSA.

9	ß
Ϊ	T

KAPSA cover – Medium

927.100	Stainless steel look
927.101	Painted in black, similar to RAL9005
927.102	Painted in white, similar to RAL9010
927.103	Anodised silver-grey, E6/EV1



CONI DUO

CONI DUO is ideal for narrow conference and training desks and tables. CONI DUO provides simple and unimpeded access to power, media and data connections on the table or desk from two sides. There is no reduction in leg room under the desk or table.

When not in use, CONI DUO integrates fully into the surface of the desk or table. Cables can be very easily routed through the opening: this is also possible when it is closed thanks to the black brush insert.

BENEFITS

- Access from two opposite sides
- Just one desk or table cut-out needed
- Integrated into the top of the desk or table
- Minimal installation depth, robust frame design
- Integrated brush insert for closing once cables have been plugged in

#	\odot	\odot	\odot		C	Ð	С
CONI powe	r strips – Sma	II Power input:	0.2 m cable and	d GST18 plug			
912.003	2				35°		1
912.010		2			35°		1
912.015			3 (T13)		0°		1
912.045				2 (3.15 A)	90°		1
912.0167	1				35°	•	1
912.0171		1			35°	•	1
912.0991			1 (T13)		0°	•	1
912.1781				1 (3.15 A)	90°	•	1

Dimensions (WxHxD)

782 x 151 x 58 mm

Mounting frame material: Sheet steel Socket material: Plastic, aluminium

Socket colour Black

Colour variants









Access from two **opposite** sides.



CONI DUO	mounting frame – 2x small
911.026	Silver-grey, similar to RAL9006



911.028 White, similar to RAL9010



CONI

CONI brings flexibility to the desktop, for example in conference and training rooms. CONI facilitates unrestricted individual access to power, media and data right on the tabletop or desktop.

Minimal installation depth means that CONI provides ample leg room under the desk or table, even where the units are fitted near the edge. A wide range of standard surface finishes also provides the freedom to design.

BENEFITS

- Integrated into the top of the desk or table
- Minimal installation depth, robust frame design
- Integrated brush insert for closing once cables have been plugged in
- Power strip can be interchanged quickly
- Suitable for retrofitting

***		CONI powe	er strips -
Dimensions (W x H x D) 248 x 151 x 58 mm		912.003	2
Mounting frame		912.010	
material: Sheet steel Socket material: Plastic, aluminium		912.015	
248 x 151 x 58 mm Mounting frame naterial: Sheet steel Socket material: Plastic, aluminium Socket colour Black		912.045	
Black Colour variants		912.0167	1
		912.0171	
		912.0991	
		912.1781	

#	\odot	\odot	< >		Ċ	Ð	С
CONI powe	er strips – Smal	Power input:	0.2 m cable and	GST18 plug			
912.003	2				35°		1
912.010		2			35°		1
912.015			3 (T13)		0°		1
912.045				2 (3.15 A)	90°		1
912.0167	1				35°	•	1
912.0171		1			35°	•	1
912.0991			1 (T13)		0°	•	1
912.1781				1 (3.15 A)	90°	•	1



Integrated brush insert for closing once cables have been plugged in.











DESK 2

DESK 2 is a multiple-socket outlet that can be equipped with various communication modules. It has been designed for flexible use in the office, meeting rooms, home offices or desk-sharing environments.

The multiple-socket outlet is made from aluminium and is available in various colours. The connections are screwed onto the standardised module windows and can be easily changed over.

BENEFITS

- Design solution for modern workstations
- User-focused 35° orientation
- No hole required in the top of the table or desk
- Covered wiring to the edge of a desk or table
- Custom versions for future-proofing

AWARDS





Dimensions (W x H x D) See table x 86 x 100 mm

Profile material: Aluminium Socket material: Plastic

Socket colour Black

Colour variants

#	\odot	\odot		 0	G	С	

White Power input: 0.2 m cable and GST18 plug Incl. mounting bracket
--

1	or input: 0.21		ion to plug [ii	ici. mounting	brachot			
902.319	2				35°	•		198 mm
902.3670		2			35°	•		198 mm
902.3120			2 (T13)		90°	•		240 mm
902.3350				2 (3.15 A)	90°	•		240 mm
902.228	2				35°	•	1	242 mm
902.232		2			35°	•	1	242 mm
902.249			2 (T13)		0°	•	1	261 mm
902.231				2 (3.15 A)	90°	•	1	285 mm
902.2820	1	1		1 (3.15 A)	35°/35°/90°	•	1	346 mm





A real headturner thanks to its high-quality design.

#	\odot	\odot	$\langle \cdot \cdot \rangle$		\bigcirc	Ð	С	᠆
Stainless ste	el Power ir	nput: 0.2 m ca	ble and GST1	8 plug Incl. m	nounting brack	ket		
902.545	2				35°	•		198 mm
902.5430		2			35°	٠		198mm
902.591			2 (T13)		90°	•		240 mm
902.5280				2 (3.15 A)	90°	•		240 mm
902.428	2				35°	•	1	242 mm
902.432		2			35°	•	1	242 mm
902.469			2 (T13)		90°	•	1	261 mm
902.431				2 (3.15 A)	90°	•	1	285 mm

1 (3.15 A) 35°/35°/90°

.





\gg

902.494

DESK 2 cable guide | Covered cable guide to the underside of the table or desk surface | Plastic

918.106 Painted white

918.107 Painted stainless steel

1

1

DESK 2 adhesive base

918.110	2x adhesive base set Plastic Painted white 2x TESA POWER STRIP®
918.111	2x adhesive base set Plastic Painted stainless steel 2x TESA POWER STRIP®





346 mm

1



DESK 1

DESK is the ideal solution for data, media and power management wherever workstations need to be flexible.

Typical situations might include meeting rooms, home offices or desk-sharing environments.

The modular construction of DESK enables it to be factory-configured with exactly the communications and power connections required for specific workstations and applications.

For the power supply, there is therefore a free choice of either the flexible Wieland connector system or permanent connections. The data connections are fitted with adapters as standard, but can likewise also be fixed connections.

BENEFITS

- Flexibility of use regardless of location
- With Wieland connector system or fixed cable connections
- Fixed or free-standing on desk/table
- Custom versions for future-proofing

Dimensions (W x H x D) See table x 73 x 93 mm

Profile material: Aluminium Socket material: Plastic

Socket colour Black

Colour variants

#	\odot	\odot			C	Ð	С	
Anodised a	luminium pro	ofile Power i	nput/output: (GST18				
902.0192	2				35°	•		239 mm
902.068		2			35°	•		239 mm
902.1992			2 (T13)		0°	٠		239 mm
902.166				2 (3.15 A)	45°	•		274 mm
902.0182	2				35°	•	1	282 mm
902.0185		2			35°	•	1	282 mm
902.0578			2 (T13)		0°	٠	1	277 mm
902.0184				2 (3.15 A)	45°	•	1	317 mm
902.0740	1	1		1 (3.15 A)	35°/35°/90°	•	1	365 mm





Individual equipment entirely according to your wishes.






X

.....

DESK 1 mounting bracket | For desktop thickness of up to 50 mm

930.120 Anodised aluminium profile | Material thickness approx. 9 mm Contents: 2x mounting clamps, 2x Allen bolts M5 x 60 mm





HD BASE T

Share information from up to four devices (laptops) at the touch of a button.

The buttons are already integrated into the relevant custom modules. The signals from the changeover switch to the display or projector are either transferred via HDBaseT or as original HDMI signals.

BENEFITS

- Zero-loss transmission of image and sound signals via CAT cable up to 70 metres
- Simple cabling
- Plug & play
- No programming needed
- Resolution up to UHD (4K) possible

HDBase	eT switch	Custom	modules for integration into our desk connection panels
903.211	HDBaseT transmitter – with 3 inputs Input: 2x HDMI, 1x VGA + audio Output: HDMI + HDBaseT via RJ45 Max. 70 metre cable length Incl. control box	903.204	VGA, analogue Miniature jack and button 1 x VGA 15-pin socket/plug 1 x 3.5mm miniature jack, socket/plug 1 x blue illuminated button with RJ12 plug Cable lengths 1 m
903.212	HDBaseT transmitter – with 4 inputs Input: 2x HDMI, 1x VGA + audio, 1x DisplayPort Output: HDMI + HDBaseT via RJ45 Max. 70 metre cable length Incl. control box	903.206	DisplayPort, digital Button 1 x DisplayPort socket/plug 1 x blue illuminated button with RJ12 plug Cable lengths 1 m
903.201	HDBaseT receiver Input: HDBaseT via RJ45 Output: HDMI, HDCP compatible	903.205	HDMI, digital Button 1 x HDMI socket/plug 1 x blue illuminated button with RJ12 plug Cable lengths 1 m

X

Mounting bracket

903.203

Mounting bracket for HDBaseT transmitter | x 2

VGA cabling, analogue

VGA combi cable, 15-pin HD with miniature jack | Black | VGA plug 15 HD | 3.5 mm miniature jack plug

918.066 Length 1 m

DisplayPort cabling, digital

DisplayPort connection cable | Black | 4K x 2K | DisplayPort plug

918.0951 Length 1 m


HDMI cabling, digital | HDMI connection cable | Black | 4K x 2K | HDMI plug, 19-pin

918.0191	Length 1 m
918.0192	Length 3 m
918.0193	Length 5 m





More accessories are available in our catalogues and on



CUSTOM MODULES

Custom modules are the central components of video, audio and network connections. Their construction offers you simple and flexible installation in all areas.

With the easy-to-swap modules, you can create units to meet the individual data, video and audio connection requirements of your customers quickly and simply.

BENEFITS

- Customisation of workstations
- Easily interchangeable
- High flexibility







Custom module Module that is screwed into an empty slot on a power strip.



Keystone module

Module that is inserted into a custom module using a keystone mount.

#	C
917.000	Custom module – 2x keystone mount Module, black, accepts 2 data sockets with keystone fitting Suitable for the data sockets listed below
917.001	Custom module – 1x keystone mount Module, black, accepts 1 data socket with keystone fitting Suitable for the data sockets listed below
917.222	Custom module – VGA, jack, HDMI Breakout cables 0.2 m, socket-socket, for VGA, audio (3.5 mm stereo jack) HDMI mounting using a keystone clip





Data, video and audio connections entirely according to your wishes.





Further custom modules can be found in our catalogues and on request.

#	K		
940.083	Keystone module CAT6 coupler/socket/socket Front: RJ45 (keystone fixing) Rear: RJ45 (keystone fixing) Shielded		193
918.041	Keystone module 1 x HDMI 2.0 Front: HDMI socket Rear: HDMI, without cable Transmission possible up to a resolution of 3840 x 216 (UHD/4K) Approx. 85 mm required installation depth		940.083
917.120	Keystone module USB 3.0 A/A (straight-through) Front: USB socket A Rear: USB socket A Fits into keystone frame 917.000 or 917.001 Requires approx. 85 mm installation depth	S.C.	-
917.157	Keystone module 1 x 3.5mm miniature jack Front: 3.5mm stereo miniature jack socket Rear: 3.5mm stereo miniature jack socket with approx. 0.2m cable Requires approx. 65mm installation depth	917.120	



WIRELESS CHARGER

The WIRELESS CHARGER allows all QI-capable mobile devices to be charged. No plugs, no irritating cables – the smartphone or tablet is simply and conveniently placed onto the charging module to charge.

The WIRELESS CHARGER can be very easily and quickly integrated into a wide range of table surfaces. The WIRELESS CHARGER is placed into a cut-out 79 mm in diameter and secured from below in the table surface using clamping claws.

BENEFITS

- Wireless charging station
- For installation in desktops and tabletops
- With USB charger included





#

Wireless Charger | Black plastic housing | Power input 1.5 m cable with USB A connection

934.000 Charging standard: WPC1.1 | Input: 5 V | Output: 5 V | Charging distance: 4-6 mm | For a 79 mm standard hole



POWER SUPPLY CABLES

Cables fitted with Wieland GST18 plug-in connectors are available to connect Facility products to the mains power supply. The benefits of these cables and their connectors, which are used all over the world, are flexibility in terms of length, the possibility of interchanging them should length requirements change, and availability for a variety of countries. Even extending the power supply to other power strips presents no problem and can usually be done without tools.

wieland

#

GST18 earthing contact

Colour: Black | Cable: H05W-F 3G 1.5 mm² | End 1: Right-angled earthing contact plug | End 2: Wieland GST18 socket

375.075	Length 2.0m
375.003	Length 3.0m
375.007	Length 5.0 m

CH/Switzerland plug

Colour: Black | Cable: H05VV-F 3G 1.5 mm² | End 1: CH/Switzerland plug | End 2: Wieland GST18 socket

375.016	Length 1.5m	
375.017	Length 3.0m	
375.018	Length 5.0 m	375.016

UK 13 SA plug

Colour: Black | Cable: H05VV-F 3G 1.5 mm² | End 1: UK 13 A plug | End 2: Wieland GST18 socket

375.068	Length 2.0m
375.069	Length 3.0m
375.0048	Length 5.0m



-

375.068

375.075

SERVICE



www.bachmann.com





Download our **full catalogue** for free on our website.

- Bachmann GmbH & Co. KG
 Ernsthaldenstr. 33
 70565 Stuttgart | Germany
- +49 711 86602-0
- +49 711 86602-34

ABOUT US

1947

The year BACHMANN was founded

More than

employees



standard products from four market segments

20

different design awards



trading partners worldwide

BACHMANN makes connections

IT POWER

19" multiple-socket outlets Connector strips IT power supply Distributors BlueNet

FACILITY

Connector panels Multiple-socket outlets Data cables Audio and video cables Power cables Cable management Network and media technology Radio and Wi-Fi solutions Custom Modules

INSTALLATION

Tradesman's strips Multiple-socket outlets Power cables Distributors Adapters Plugs/couplers Electrotechnical accessories Lamps

KITCHEN

Connector panels Multiple-socket outlets Data cables Power cables Distributors



 Bachmann GmbH & Co. KG Ernsthaldenstr. 33 70565 Stuttgart | Germany
 44 711 86600 0

↓ +49 711 86602-0
↓ +49 711 86602-34

www.bachmann.com

Pictograms and their meaning

#	Article number	\bigcirc	Socket orientation
\odot	Socket outlet with earthing contact	Ð	Dual USB charger
•••	UTE socket	С	Custom module
<>	Swiss socket	K	Keystone module
I__	UK socket	═	Width of the product
••	European socket	×	Accessories/extras

Further information



Custom module Module that is screwed into an empty slot on a power strip.



Keystone module

Module that is inserted into a custom module using a keystone mount.



All power strips feature increased protection against contact.

.....



For reasons related to the production process, there may be very minor deviations from the specified dimensions. We thank you for your understanding in this matter.

.....